

**Table 1**  
**Vascular and gastrointestinal effects of NSAIDs**

	Total available data	Data not available	Total
<b>Coxib vs Placebo</b>			
N. trials	184	6	190
N. participants	88367	238	88605
People/year	52466	164	52630
Vascular events (sup tract events GI )	482 (70)		
<b>FANS vs Placebo</b>			
N. trials	158	30	188
N. participants	38081	3756	41837
People/year	16217	700	16917
Vascular events (sup tract events GI )	70 (60)		
<b>Coxib vs FANS</b>			
<b>Diclofenac</b>			
N. trials	33	2	35
N. participants	61572	240	61812
People/year	90644	21	90665
Vascular events (sup tract events GI )	733 (222)		
<b>Ibuprofen</b>			
N. trials	22	0	22
N. participants	22225	0	22225
People/year	11668	0	11668
Vascular events (sup tract events GI )	83 (82)		

<b>Naproxen</b>			
N. trials	48	1	49
N. participants	48706	66	48772
People/year	31631	20	31651
Vascular events	268 (225)		
<b>FANS vs other FANS</b>			
N. trials	335	49	384
N. participants	68507	7247	75754
People/years	22418	1323	23741
Vascular events (sup tract events GI )	24 (105)		
<b>Coxib vs other Coxib</b>			
N. trials	35	0	35
N. participants	25931	0	25931
People/years	9093	0	9093
Vascular events (sup tract events GI )	60 (19)		

By: *The Lancet*, Vol 382 August 31, 2013, mod